

# REELS



## JAXON VX MACHINE, ZX MACHINE

Two flagship reels in our 2009 offer. Ideal, smooth action, superb balance, reliable drag. Dependable gear with one-way clutch (OWC). Precise line lay system. Big spool diameter prevents inconvenient line twisting. Ultra durable duraluminium body. Metal CNC handle machined from one block. All gear parts manufactured under top quality standards. Jaxon VX and ZX MACHINE come in four sizes: 100, 200, 300 and 400. Additionally, we offer 200 Match reel model with shallow match spool. Additional alu spool can be used with both versions. All with one spare spool.



METAL BODY

VX MACHINE

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
VX Machine	100	KJ-MVX100	10-OWC	5.2:1	0.20-170	1x
VX Machine	200	KJ-MVX200	10-OWC	5.2:1	0.25-200	1x
VX Machine	300	KJ-MVX300	10-OWC	4.8:1	0.28-220	1x
VX Machine	400	KJ-MVX400	10-OWC	4.8:1	0.30-220	1x
VX Machine Match	200M	KJ-MVX200M	10-OWC	5.2:1	0.25-110	1x
Szpulka Alu	100	KJ-MVX100S	Spare duraluminium spool			
Szpulka Alu	200	KJ-MVX200S	Spare duraluminium spool			
Szpulka Alu	300	KJ-MVX300S	Spare duraluminium spool			
Szpulka Alu	400	KJ-MVX400S	Spare duraluminium spool			

ZX MACHINE MATCH



METAL BODY

ZX MACHINE

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
ZX Machine	100	KJ-ZVX100	10-OWC	5.2:1	0.20-170	1x
ZX Machine	200	KJ-ZVX200	10-OWC	5.2:1	0.25-200	1x
ZX Machine	300	KJ-ZVX300	10-OWC	4.8:1	0.28-220	1x
ZX Machine	400	KJ-ZVX400	10-OWC	4.8:1	0.30-220	1x
ZX Machine Match	200M	KJ-ZVX200M	10-OWC	5.2:1	0.25-110	1x

## JAXON ACURA AXL, AXL MATCH

Reels with fixed spool and drag control on the top of the spool. 8 ball bearings including one-way clutch (OWC). Depending on size we recommend these all-round reel to be used with or medium-heavy or lighter rigs. The offer includes AXL version with standard spool and AXL Match with shallow spool to be used with light lines or braided lines.



ACURA AXL

ACURA AXL MATCH

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Accura AXL	100	KJ-ACU100XL	8-OWC	5.5:1	0.18-200	1x
Accura AXL	200	KJ-ACU200XL	8-OWC	5.5:1	0.20-180	1x
Accura AXL	300	KJ-ACU300XL	8-OWC	5.2:1	0.25-220	1x
Accura AXL Match	300	KJ-ACU200XLM	8-OWC	5.5:1	0.18-150	1x

**JAXON IMPRESS FD, RD**  
Perfectly designed, luxurious reels with fixed spool. Robust mechanism, 8 ball bearings including one-way clutch mechanism (OWC). The offer includes front and rear drag. Free spare graphite spool.



IMPRESS FDM



GALANT GT



Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Galant GT	100	KJ-GAL100T	4-OWC	5.5:1	0.18-180	1x
Galant GT	200	KJ-GAL200T	4-OWC	5.5:1	0.20-180	1x
Galant GT	300	KJ-GAL300T	4-OWC	5.2:1	0.25-200	1x
Galant GT	400	KJ-GAL400T	4-OWC	5.2:1	0.30-180	1x
Galant GT	500	KJ-GAL500T	4-OWC	5.2:1	0.35-240	1x
Galant GX	100	KJ-GAL100X	6-OWC	5.5:1	0.18-180	1x
Galant GX	200	KJ-GAL200X	6-OWC	5.5:1	0.20-180	1x
Galant GX	300	KJ-GAL300X	6-OWC	5.2:1	0.25-200	1x
Galant GX	400	KJ-GAL400X	6-OWC	5.2:1	0.30-180	1x
Galant GX	500	KJ-GAL500X	6-OWC	5.2:1	0.35-240	1x
Galant GX Match	200	KJ-GAL200XM	6-OWC	5.2:1	0.16-150	1x
Galant GX Match	300	KJ-GAL300XM	6-OWC	5.2:1	0.18-180	1x

## JAXON GALANT GT, GX, GX MATCH

All-round spinning reels. GX version is equipped with duraluminium spool, GT version has chromium plated graphite spool. We recommend GX Match version with shallow spool to anglers using light lines and braided lines.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Impress FD	100	KJ-IMP100FD	8-OWC	5.2:1	0.16-140	1x
Impress FD	200	KJ-IMP200FD	8-OWC	5.2:1	0.22-170	1x
Impress FD	300	KJ-IMP300FD	8-OWC	5.2:1	0.25-180	1x
Impress FD	400	KJ-IMP400FD	8-OWC	5.2:1	0.30-210	1x
Impress FD Match	200	KJ-IMP200FDM	8-OWC	5.2:1	0.18-120	1x
Impress RD	200	KJ-IMP200RD	8-OWC	5.2:1	0.22-170	1x
Impress RD	300	KJ-IMP300RD	8-OWC	5.2:1	0.25-180	1x
Impress RD	400	KJ-IMP400RD	8-OWC	5.2:1	0.30-220	1x
Impress RD	500	KJ-IMP500RD	8-OWC	5.2:1	0.35-220	1x
Impress RD Match	300	KJ-IMP300RDM	8-OWC	5.2:1	0.20-130	1x

IMPRESS FD



IMPRESS RDM



IMPRESS RD



GALANT GX



# REELS



**JAXON TALSAR**  
Reels with rear drag control. Duraluminium main spool and spare graphite spool. One way clutch mechanism (OWC) that prevents backward movement of handle while switched on.



TALSAR

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Talsar GX	100	KJ-TAL100X	5-OWC	5.5:1	0.18-180	1x
Talsar GX	200	KJ-TAL200X	5-OWC	5.5:1	0.20-180	1x
Talsar GX	300	KJ-TAL300X	5-OWC	5.2:1	0.25-200	1x
Talsar GX	400	KJ-TAL400X	5-OWC	5.2:1	0.30-180	1x
Talsar GX	500	KJ-TAL500X	5-OWC	5.2:1	0.35-240	1x


**JAXON ARROW RT**  
All-round reels with fixed spool. Can be used in wide range of disciplines: from light float fishing through spinning up to heavier ground fishing. 5 sizes available. Free spare spool.



ARROW RT

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Arrow RT	100	KJ-AWA100	5-OWC	5.2:1	0.18-200	1x
Arrow RT	200	KJ-AWA200	5-OWC	5.2:1	0.20-180	1x
Arrow RT	300	KJ-AWA300	5-OWC	5.2:1	0.25-220	1x
Arrow RT	400	KJ-AWA400	5-OWC	5.2:1	0.30-190	1x
Arrow RT	500	KJ-AWA500	5-OWC	5.2:1	0.35-210	1x

**JAXON PENAX**  
Reels equipped with additional, precise fighting drag. Robust gear with ball bearings and one-way clutch mechanism (OWC) that prevents backward movement of the handle while switched on. We offer 5 sizes and one model with shallow Match spool. All Penax reels come complete with metal main spool and two spare graphite spools.



PENAX PXL

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Penax PXL	100	KJ-PEN100XL	8-OWC	5.2:1	0.18-200	2x
Penax PXL	200	KJ-PEN200XL	8-OWC	5.2:1	0.20-180	2x
Penax PXL	300	KJ-PEN300XL	8-OWC	5.2:1	0.25-220	2x
Penax PXL	400	KJ-PEN400XL	8-OWC	5.2:1	0.30-190	2x
Penax PXL	500	KJ-PEN500XL	8-OWC	5.2:1	0.35-210	2x
Penax PXL Match	300	KJ-PEN300XLM	8-OWC	5.2:1	0.20-150	2x

**JAXON MEXAR FD**  
Spinning reels with front drag control.



MEXAR FD

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Mexar FD	100	KJ-MEB100FD	8-OWC	5.5:1	0.18-220	1x
Mexar FD	200	KJ-MEB200FD	8-OWC	5.5:1	0.20-190	1x
Mexar FD	300	KJ-MEB300FD	8-OWC	5.2:1	0.25-240	1x

**JAXON TROJAN**  
All-round reels with rear drag system. One-way clutch mechanism (OWC) included. Offer of 4 sizes, from light float reel to heavier spinning reels. All Trojan reels are equipped with metal main spool and spare graphite spool.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Trojan RD	100	KJ-ROJ100	5-OWC	5.2:1	0.18-200	1x
Trojan RD	200	KJ-ROJ200	5-OWC	5.2:1	0.20-180	1x
Trojan RD	300	KJ-ROJ300	5-OWC	5.2:1	0.25-220	1x
Trojan RD	400	KJ-ROJ400	5-OWC	5.2:1	0.30-190	1x



TROJAN RD

**JAXON ASTOR RD, FD**  
Professional reels designed for demanding anglers. Our offer covers RD model with rear drag control and FD model with front drag control. One-way clutch mechanism (OWC) prevents unwanted backward movement of handle. Reels with shallow Match spoolare also available. Free spare spool.



ASTOR RD

ASTOR FD

ASTOR RD MATCH

GLOBAL FXL

ASTOR FD MATCH

**JAXON GLOBAL FXL**  
Perfectly balanced spinning reels with drag control on the spool. Dependable, 8 ball bearings construction with one-way clutch mechanism (OWC). Duraluminium main spool. Free spare spool. 3 sizes available.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Global FXL	100	KJ-GLA100	8-OWC	5.2:1	0.18-215	1x
Global FXL	200	KJ-GLA200	8-OWC	5.2:1	0.20-195	1x
Global FXL	300	KJ-GLA300	8-OWC	5.2:1	0.25-245	1x

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Astor RD	200	KJ-ATA200	8-OWC	5.2:1	0.22-165	1x
Astor RD	300	KJ-ATA300	8-OWC	5.2:1	0.25-175	1x
Astor RD	400	KJ-ATA400	8-OWC	5.2:1	0.30-220	1x
Astor RD	500	KJ-ATA500	8-OWC	5.2:1	0.35-220	1x
Astor RD Match	300M	KJ-ATA300M	8-OWC	5.2:1	0.20-125	1x
Astor FD	100	KJ-ATB100	8-OWC	5.2:1	0.18-125	1x
Astor FD	200	KJ-ATB200	8-OWC	5.2:1	0.22-165	1x
Astor FD	300	KJ-ATB300	8-OWC	5.2:1	0.25-175	1x
Astor FD	400	KJ-ATB400	8-OWC	5.2:1	0.30-220	1x
Astor FD Match	300M	KJ-ATB300M	8-OWC	5.2:1	0.20-125	1x

# REELS



**JAXON STING SS, SM, ST**  
Popular reels for fishing with lighter rigs. SS and SM versions are equipped with graphite main spool. ST 4 ball bearings version has chromium plated spool.



STING SS

STING SM

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Sting SS	100	KJ-STI100S	1	5.2:1	0.18-180	1x
Sting SS	200	KJ-STI200S	1	5.2:1	0.20-180	1x
Sting SS	300	KJ-STI300S	1	5.2:1	0.25-200	1x
Sting SS	400	KJ-STI400S	1	5.2:1	0.30-180	1x
Sting SS	500	KJ-STI500S	1	5.2:1	0.35-240	1x
Sting SM	100	KJ-STI100M	3	5.5:1	0.18-180	1x
Sting SM	200	KJ-STI200M	3	5.5:1	0.20-180	1x
Sting SM	300	KJ-STI300M	3	5.2:1	0.25-200	1x
Sting SM	400	KJ-STI400M	3	5.2:1	0.30-180	1x
Sting SM	500	KJ-STI500M	3	5.2:1	0.35-240	1x
Sting ST	100	KJ-STI100T	4	5.5:1	0.18-180	1x
Sting ST	200	KJ-STI200T	4	5.5:1	0.20-180	1x
Sting ST	300	KJ-STI300T	4	5.2:1	0.25-200	1x
Sting ST	400	KJ-STI400T	4	5.2:1	0.30-180	1x
Sting ST	500	KJ-STI500T	4	5.2:1	0.35-240	1x

STING ST

**JAXON LUCKY LS**  
Popular, small reels for novice anglers. Optionally they can be used for ice angling.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Lucky LS	50	KJ-LSA050	1	5.5:1	0.20-140	0x
Lucky LS	100	KJ-LSA100	1	5.5:1	0.20-190	0x

LUCKY LS

**JAXON BINGO FM**  
All-round 3 ball bearings reels. Drag control on the spool. Spare spool included.



BINGO FM

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Bingo FM	100	KJ-BNA100	3	5.2:1	0.20-160	1x
Bingo FM	200	KJ-BNA200	3	5.2:1	0.22-180	1x
Bingo FM	300	KJ-BNA300	3	5.2:1	0.25-240	1x



ZOOM RD

**JAXON ZOOM RD**  
Reel family with rear drag shaft. Precise five ball mechanism gear with one-way clutch (OWC). Aluminium spool. Comes complete with graphite spare spool.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Zoom RD	100	KJ-ZMR100	5-OWC	5.5:1	0.18-200	1x
Zoom RD	200	KJ-ZMR200	5-OWC	5.5:1	0.20-180	1x
Zoom RD	300	KJ-ZMR300	5-OWC	5.2:1	0.25-220	1x
Zoom RD	400	KJ-ZMR400	5-OWC	5.2:1	0.30-190	1x



ADVENTURE AM

**JAXON ADVENTURE**  
Series of popular reels with rear drag control. We offer versions with 1, 3 and 4 ball bearings. 4 ball bearing model comes with aluminium spool. Recommended for coarse fishing with float or light ledger.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Adventure AS	100	KJ-ADV100S	1	5.5:1	0.20-160	0x
Adventure AS	200	KJ-ADV200S	1	5.5:1	0.22-180	0x
Adventure AS	300	KJ-ADV300S	1	5.2:1	0.25-240	0x
Adventure AS	400	KJ-ADV400S	1	5.2:1	0.30-250	0x
Adventure AS	500	KJ-ADV500S	1	5.2:1	0.35-250	0x
Adventure AM	100	KJ-ADV100M	3	5.5:1	0.20-160	1x
Adventure AM	200	KJ-ADV200M	3	5.5:1	0.22-180	1x
Adventure AM	300	KJ-ADV300M	3	5.2:1	0.25-240	1x
Adventure AM	400	KJ-ADV400M	3	5.2:1	0.30-250	1x
Adventure AM	500	KJ-ADV500M	3	5.2:1	0.35-250	1x
Adventure AT	100	KJ-ADV100T	4	5.5:1	0.20-160	1x
Adventure AT	200	KJ-ADV200T	4	5.5:1	0.22-180	1x
Adventure AT	300	KJ-ADV300T	4	5.2:1	0.25-240	1x
Adventure AT	400	KJ-ADV400T	4	5.2:1	0.30-250	1x
Adventure AT	500	KJ-ADV500T	4	5.2:1	0.35-250	1x



ADVENTURE AS

ADVENTURE AT

MANGAN RDS



MANGAN RDM

**JAXON MANGAN**  
All-round, well balanced reels with rear drag. 5 sizes in three different series available. RDT series equipped with duraluminium main spool.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Mangan RDS	100	KJ-MNG100S	1	5.5:1	0.20-160	0x
Mangan RDS	200	KJ-MNG200S	1	5.5:1	0.22-180	0x
Mangan RDS	300	KJ-MNG300S	1	5.2:1	0.25-240	0x
Mangan RDS	400	KJ-MNG400S	1	5.2:1	0.30-250	0x
Mangan RDS	500	KJ-MNG500S	1	5.2:1	0.35-250	0x
Mangan RDM	100	KJ-MNG100M	3	5.5:1	0.20-160	1x
Mangan RDM	200	KJ-MNG200M	3	5.5:1	0.22-180	1x
Mangan RDM	300	KJ-MNG300M	3	5.2:1	0.25-240	1x
Mangan RDM	400	KJ-MNG400M	3	5.2:1	0.30-250	1x
Mangan RDM	500	KJ-MNG500M	3	5.2:1	0.35-250	1x
Mangan RDT	100	KJ-MNG100T	4	5.5:1	0.20-160	1x
Mangan RDT	200	KJ-MNG200T	4	5.5:1	0.22-180	1x
Mangan RDT	300	KJ-MNG300T	4	5.2:1	0.25-240	1x
Mangan RDT	400	KJ-MNG400T	4	5.2:1	0.30-250	1x
Mangan RDT	500	KJ-MNG500T	4	5.2:1	0.35-250	1x

REEL GREASE

AJ-SM001

MANGAN RDT

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Vertigo FRXL	300	KJ-VTG300XL	8-OWC	5.2:1	0.25-220	1x
Vertigo FRXL	400	KJ-VTG400XL	8-OWC	5.2:1	0.30-180	1x
Vertigo FRXL	500	KJ-VTG500XL	8-OWC	5.2:1	0.35-220	1x
Vertigo FRXL	600	KJ-VTG600XL	8-OWC	5.2:1	0.35-300	1x
Vertigo FRM	300	KJ-VTG300M	3	5.2:1	0.25-220	1x
Vertigo FRM	400	KJ-VTG400M	3	5.2:1	0.30-180	1x
Vertigo FRM	500	KJ-VTG500M	3	5.2:1	0.35-220	1x
Vertigo FRM	600	KJ-VTG600M	3	5.2:1	0.35-300	1x

**JAXON VERTIGO FRM, FRXL**  
Series of reels with free spool system. Our offer includes 4 sizes of reels that come in two versions: standard – FRM and luxury – FRXL. Recommended for wide variety of ledgering methods with electronic bite indicator. Free graphite spare spool.



**JAXON MARLON FR**  
Super strong, robust reel with free spool. Great proposal for anglers fishing for large carp, grass carp and catfish. Precise, multi ball bearing gear with one-way clutch mechanism and worm-gear in line lay system. OWC mechanism additionally treated against corrosion and salt water impact. Free graphite spare spool.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Marlon	6000	KJ-MAR6000	8-OWC	4.4:1	0.30-300	1x
Marlon	6500	KJ-MAR6500	8-OWC	4.4:1	0.40-290	1x



**JAXON VOTUS**  
Well designed free spool mechanism with drag adjustment. Hipoidal gear with strengthened brass cogs. FRXL version is enriched by adding one-way clutch mechanism that eliminates reverse handle movement while switched on. All Votus reels come complete with spare spools.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Votus FRXL	300	KJ-BRU300XL	8-OWC	5.2:1	0.30-180	2x
Votus FRXL	400	KJ-BRU400XL	8-OWC	5.2:1	0.35-220	2x
Votus FRXL	500	KJ-BRU500XL	8-OWC	5.2:1	0.35-300	2x

**JAXON SYNCRO**  
For real beast – big reels for large carp anglers and other specimen hunters, using electronic bite indicators. Perfectly engineered free spool system. Reliable gear with one-way clutch (OWC). Ultra durable CNC handle ground of single piece of metal. Big spools with capacity exceeding 350 m of 0.35 mm line.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Syncro FRXL	6000	KJ-SYN600	6-OWC	4.1:1	0.40-210	1x

MARLON FR

VERTIGO FRXL

VOTUS FRXL

SYNCRO FRXL

**JAXON HEGEMON HFR**  
Reel with free spool system adapted to extreme loading. Recommended for anglers catching large carp and catfish. Worm-gear guarantees perfect line lay on the spool. Additionally treated against wet conditions and salt water impact. Duraluminium main spool. Free spare graphite spool.



HEGEMON HFR

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Hegemon HFR	500	KJ-HEG500	9-OWC	4.6:1	0.30-380	1x
Hegemon HFR	700	KJ-HEG500	9-OWC	4.2:1	0.40-400	1x

**JAXON ROXAN**  
Extra large, powerful reels recommended for all situations, where maximum overloading and huge fish are possible. Anglers specializing in fishing for carp, grass carp and catfish will find them extremely attractive. Usage for sea fishing for cod or pollock also comes into account. Precise gear with 6 bearings and worm-gear in line lay system. One-way clutch mechanism that eliminates reverse handle movement is additionally treated against salt water impact. Two sizes 6500 and 7500 available.



ROXAN

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Roxan	6500	KJ-ROX650	6-OWC	4.4:1	0.35-300	1x
Roxan	7500	KJ-ROX750	6-OWC	4.4:1	0.40-320	1x



AMADO AXL

**JAXON AMADO AM, AXL**  
New series of reels equipped with free spool system. Our offer covers several sizes in two versions: AM and AXL that present different standard of finish. AXL version has duraluminium main spool while AM version has chromium plated main spool. Free spare spool included in both versions.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Amado AXL	300	KJ-AMA300XL	8-OWC	5.5:1	0.25-180	1x
Amado AXL	400	KJ-AMA400XL	8-OWC	5.5:1	0.30-180	1x
Amado AXL	500	KJ-AMA500XL	8-OWC	5.2:1	0.35-220	1x
Amado AXL	600	KJ-AMA600XL	8-OWC	5.2:1	0.35-290	1x



AMADO AM

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Amado AM	300	KJ-AMA300M	3	5.5:1	0.25-180	1x
Amado AM	400	KJ-AMA400M	3	5.5:1	0.30-180	1x
Amado AM	500	KJ-AMA500M	3	5.2:1	0.35-220	1x
Amado AM	600	KJ-AMA600M	3	5.2:1	0.35-290	1x

# REELS



SEA TREND FDM

**JAXON SEA TREND**  
Sea fishing reels. Special anti-corrosion coating. Strengthened duraluminium handle. The offer includes two models: FDT model with aluminium spool and FDM model with graphite spool.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Sea Trend FDM	600	KJ-STA600	3	4.6:1	0.40-200	0x
Sea Trend FDM	700	KJ-STA700	3	4.6:1	0.40-260	0x
Sea Trend FDT	600	KJ-STB600	4	4.6:1	0.40-200	0x
Sea Trend FDT	700	KJ-STB700	4	4.6:1	0.40-260	0x



ARNAS RD

**JAXON ARNAS RD**  
The last reel from popular Arnas series. Only reels in size 500 are available. Recommended for heavier spinning and for ground fishing methods that require using lines of diameter above 0.30 mm. Available till the clear of stock.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Arnas RD	500	KJ-ARN500	6-OVC	5.1:1	0.33-200	2x



WINNER

**JAXON WINNER**  
Large, modern reels with characteristic extremely elongated spool. Ultra strong mechanism with ball bearings and one-way clutch mechanism (OWC). Worm-gear optimizes the process of line laying on spool. Recommended for big fish angling with very heavy rigs.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Winner	750	KJ-WIN750XL	8-OVC	4.1:1	0.40-390	1x

SEA TREND FDT

**JAXON NAVIGATOR NT, NX**  
Robust reels for fishing with middle-heavy rigs. Recommended for various ground fishing methods that require heavier lines and for cod fishing (with the use of pilkers up to 170 g weight) from boat. Our offer covers NX luxury version with duraluminium spool and NT standard version with chromium plated spool.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Navigator NT	600	KJ-NAV600T	4	5.2:1	0.40-250	1x
Navigator NX	600	KJ-NAV600X	6-OVC	5.2:1	0.40-250	1x

NAVIGATOR NT

NAVIGATOR NX

**TRISTAN**  
Large multiplier with line counter enabling positioning the bait at required depth. Counter shows depth in feet. You can recalculate it into meters roughly, dividing result by 3. Handle on the left side of body.



TRISTAN

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Tristan - handle on the left side of body	7000	KJ-RIS700	4-OVC	3.4:1	0.45-300	0x



PASSAT

**JAXON PASSAT**  
Robust multiplier for angling with heavy rigs. Recommended for pilker fishing for cods and other sea fish. Handle on the left side of body.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Passat	500	KJ-PAS500	2	3.4:1	0.42-300	0x



CASTING EXPRESS

**JAXON CASTING EXPRESS**  
Multiplier reels for casting. Shortened reel leg adjusted to casting reel seat. Perfectly fitted two ball bearing gear with OVC mechanism. Smooth magnetic drag. Recommended for casting with monofilament 0.18-0.28 mm lines.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Casting Express	200	KJ-CEX200	3-OVC	6.2:1	0.25-180	0x

**JAXON LIBRA**  
Large multiplier equipped with line counter enabling positioning the bait at required depth. Counter shows depth in feet. You can recalculate it into meters roughly, dividing result by 3. Handle on the right side of body.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Libra LXD	7000	KJ-LR700LXD	4-OVC	3.4:1	0.45-300	0x



LIBRA LXD

CASTING XTL

**JAXON CASTING XTL, XTR**  
Luxury spinning multiplier reels. Our offer includes two versions: XTL - with handle on the left side of body and XTR - with handle on the right side of body. Recommended for angling for predators.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Casting XTL	200	KJ-CAS200L	6-OVC	6.2:1	0.25-240	0x
Casting XTR	200	KJ-CAS200R	6-OVC	6.2:1	0.25-240	0x



LONG CAST LH

**LONG CAST LH**  
Baitcasting type multipliers. Reliable gear with one-way clutch mechanism (OWC). All-round use reels, recommended for long and accurate casts. Pike anglers who fish with jerk baits should find them very attractive.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Long Cast LH - handle on the left side of body	3000	KJ-LNC300	5-OVC	5.5:1	0.30-240	0x

# REELS

# JAXON

**JAXON MICRON XL**  
Luxury reels for fishing with very light lines and braided lines. Dependable, multi ball bearing mechanism. Highest standard of finish.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Micron XL	050	KJ-MIC050	8-OWC	5.1:1	0.16-180	1x
Micron XL	100	KJ-MIC100	8-OWC	5.1:1	0.16-180	1x



MICRON XL

POLARIS PT



POLARIS PXL

**JAXON POLARIS PM, PT, PXL**  
Series of very small reels with rear drag control for fishing with the lightest rigs and for ice fishing. Our offer covers 3 versions - PM, PT and PXL that has different standard of finish and ball bearings number.

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Polaris PM	050	KJ-POL050M	3	5.2:1	0.16-160	1x
Polaris PT	050	KJ-POL050T	4	5.2:1	0.16-160	1x
Polaris PXL	050	KJ-POL050XL	8-OWC	5.2:1	0.16-160	1x

POLARIS PM

**JAXON MINX**  
Small size reels with rear drag control. All 3 models - XM, XT, and XL have different finish standards. XL model comes with one-way clutch (OWC). Recommended for ultra light rig fishing especially for ice fishing.



MINX XL

MINX XM

MINX XT

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Minx XM	050	KJ-MX050M	3	5.1:1	0.18-200	1x
Minx XT	050	KJ-MX050T	5	5.1:1	0.18-200	2x
Minx XL	050	KJ-MX050XL	8-OWC	5.1:1	0.18-200	2x



NANO NS



NANO NM



NANO NT

**JAXON MINI REEL**  
Small, useful multiplier reel for ice fishing.



MINI REEL

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Nano NS	050	KJ-NAN050S	1	5.2:1	0.16-160	1x
Nano NS	100	KJ-NAN100S	1	5.2:1	0.18-200	1x
Nano NM	050	KJ-NAN050M	3	5.2:1	0.16-160	1x
Nano NM	100	KJ-NAN100M	3	5.2:1	0.18-200	1x
Nano NT	050	KJ-NAN050T	4	5.2:1	0.16-160	1x
Nano NT	100	KJ-NAN100T	4	5.5:1	0.18-200	1x

Article	Size	Code	Ball bearings	Gear ratio	Spool capacity mm/m	Spare spool
Mini Reel	10	KJ-MN001	0	3.2:1	0.20-100	0x



LAINIO FLY

**JAXON LAINIO FLY**  
Fly reels designed for the most demanding anglers. Duraluminium spool and body. Precise drag system with a center drag design. Perfectly designed mechanism. 3 ball bearings including one-way clutch mechanism (OWC). You can also buy spare spools.

Article	Size	Code	Ball bearings	Spool capacity mm/m	Spare spool
Lainio Fly	# 5/6	KJ-LAF56	3-OWC	#5/6	0x
Lainio Fly spare spool	# 5/6	KJ-LAF56S			
Lainio Fly	# 7/8	KJ-LAF78	3-OWC	#5/6	0x
Lainio Fly spare spool	# 7/8	KJ-LAF78s			

**JAXON MEGA FLY**  
Modern fly reels. Duraluminium body and spool. Precise, multi level drag. White, shallow LARGE ARBOR spool enables perfect line lay, prevents line twisting and enables long and accurate casts.

Article	Size	Code	Spool capacity mm/m
Mega Fly	4/5/6	KJ-FUA46	Lines #4/5/6
Mega Fly	6/7	KJ-FUA67	Lines #6/7



MEGA FLY



BETA FLY

**JAXON BETA FLY**  
Duraluminium body fly reels. Wide graphite made LARGE ARBOR spool. Spare spools available.

Article	Size	Code	Spool capacity mm/m
Beta Fly	5/6	KJ-FXA56	Lines #5/6
Beta Fly spare spool	5/6	KJ-FXA56S	Lines #5/6

Article	Size	Code	Spool capacity mm/m
Vera Fly	5/6	KJ-FYT56	Lines #5/6
Vera Fly spare spool	5/6	KJ-FYT56S	Lines #5/6
Vera Fly	7/8	KJ-FYT78	Lines # 7/8
Vera Fly spare spool	7/8	KJ-FYT78S	Lines # 7/8

**JAXON VERA FLY**  
Lightweight fly reels with graphite spool and body. Wide LARGE ARBOR spool. Spare spools available.



VERA FLY